

2900 5<sup>th</sup> Avenue NW  
P.O. Box 616  
Waverly, Iowa 50677



Phone 319-352-6247  
Fax 319-352-5772  
[www.waverlyia.com](http://www.waverlyia.com)

Public Works Department  
*Serving the Community Throughout the Seasons*

### **Restoration Requirements For Applicant Completed Street Repairs**

Applicant provided street repairs must be completed within a reasonable time period and in accordance with the following restoration instructions.

All traffic control must be in compliance with the Manual of Uniform Traffic Control Devices.

Following completion of the excavation, the City must be notified and an inspection must be performed prior to backfilling. The trench may then be backfilled with suitable material that is mechanically compacted in appropriate layers that minimize the opportunity for settlement. Within a roadway, the final 12 inches must be a modified subbase aggregate allowing for the reopening to traffic until a permanent pavement patch is completed.

All pavement layers including drainage structures must be fully restored. Pavement layers and drainage structures may include the following:

- Geogrids or Geotextiles
- Aggregate Subbase
- Asphalt Pavement
- Concrete Pavement
- Composite Concrete-Asphalt Pavement
- Flexible or Rigid Drain Tile
- Aggregate Drainage Trench
- Concrete Curb & Gutter
- Sidewalk